



- NOTES**
- ALL ROAD MARKINGS ARE TO BE IN ACCORDANCE WITH TRAFFIC SIGNS REGULATIONS (GENERAL MARKINGS) AND THE ROAD CARRIAGEWAYS (AMENDMENT) (NO.2) REGULATIONS AND GENERAL DIRECTIONS 2011.
  - WHERE NEW ROAD MARKINGS ARE TO BE REMOVED AS NECESSARY, THE EXISTING ROAD MARKINGS ARE TO BE REMOVED AS NECESSARY.
  - FOR DETAILS OF CHEVRON MARKINGS SEE HIGHWAY CONSTRUCTION DETAILS DRAWING D4.
  - ROAD STUDS ARE TO BE LAID IN ACCORDANCE WITH HIGHWAY CONSTRUCTION DETAILS (HCDs) SERIES 'D' DRAWINGS D1 TO D6 WHERE APPROPRIATE. ALL ROAD STUDS ARE TO BE SPACED IN ACCORDANCE WITH PARAGRAPH 6.12 OF CHAPTER 5 OF THE TRAFFIC SIGNS MANUAL (DETAILS AVAILABLE ON REQUEST).
  - DRAINAGE GAPS IN RAISED RIB MARKINGS ARE TO BE PROVIDED IN ACCORDANCE WITH TRAFFIC SIGNS MANUAL CHAPTER 5.
  - SPACING OF RAISED RIBS ON THE DUAL CARRIAGEWAY AND SLIP ROADS ARE TO BE IN ACCORDANCE WITH TRAFFIC SIGNS MANUAL CHAPTER 5.
  - THE WORD "SLOW" TO DIAGRAM 1004.1 IS TO BE 180mm WHERE SPEED LIMIT IS 40mph OR LESS AND 280mm WHERE THE SPEED LIMIT IS GREATER THAN 40mph.

- NOTES CONTINUED**
- FOR DETAILS OF ROAD MARKINGS SPECIFICATIONS REFER TO ROAD MARKINGS SPECIFICATION APPENDIX A6MARR-Q-W-12-004-SP-001.
  - ROAD STUDS - MAINLINE (A659) NEARSIDE EDGE OF CARRIAGEWAY:
    - LANE MARKINGS:
    - WHITE COLOURED UNI-DIRECTIONAL STUDS TO BE AT 18m CENTRES PLACED IN THE GAPS BETWEEN PARTS OF MARKING TO DIAGRAM 1005.1
    - OFFSIDE EDGE OF CARRIAGEWAY:
    - AMBER/RED COLOURED BI-DIRECTIONAL STUDS AT 18m CENTRES TO BE PLACED AT THE SIDE OF AND ADJACENT TO MARKING TO DIAGRAM 1012.1
    - BI-DIRECTIONAL STUDS TO BE AT 6m CENTRES PLACED IN THE GAPS BETWEEN PARTS OF MARKING TO DIAGRAM 1004.1

**SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION**

IN ADDITION TO THE HAZARDS / RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING:

- CONSTRUCTION**
- 1. THERE ARE NO KNOWN EXCEPTIONAL RISKS.
  - 2. THERE ARE NO KNOWN EXCEPTIONAL RISKS.
  - 3. THERE ARE NO KNOWN EXCEPTIONAL RISKS.
  - 4. IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT PERSON AND THAT ALL WORKS WILL BE CARRIED OUT TO AN APPROVED METHOD STATEMENT. REFER TO HAZARD LOG DOCUMENT NO. A6MARR-3-W-12-000-RA-001.

**Client:**

**Project:** **A6 TO MANCHESTER AIRPORT RELIEF ROAD**

**Title:** **ROAD MARKINGS WORK SECTION 3 SHEET 1 OF 8**

**Drawn:** JE  
**Checked:** RT  
**RT:** ACR  
**Approved:** ACR  
**Scale:** 1:1000

**Date:** 08/08/15  
**Date:** 08/08/15  
**Date:** 08/08/15  
**Original drawing size:** 841 x 594 - A1

**Drawing No.:** A6MARR-3-W-12-004-DR-001  
**Rev.:** C1

REV.	DATE	ISSUE FOR CONSTRUCTION	ORIG	CHK'D	ENG	CAT II	APP'D
C1	08/08/15	ISSUE FOR CONSTRUCTION	JE	RT			ACR
		AMENDMENT DETAILS					

